



0360

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of: Toshiyuki SAKURAI et al.

Serial No.: 09/987,017

Filed: November 13, 2001

Attn: Applications Division

For: **LINKAGE SYSTEM FOR MEDICAL INSTITUTION**

RESPONSE TO NOTICE TO
FILE CORRECTED APPLICATION PAPERS

Commissioner for Patents
Washington, D.C. 20231

December 11, 2001

Dear Sir:

In response to the Notice to File Corrected Application Papers dated November 26, 2001, enclosed for filing are the (33 sheets) of substitute drawings with the appropriate margins for the above-identified patent application.

In the event that any additional fees are due with this paper, please charge Deposit Account No. 01-2340.

In the event that this response is not timely filed, applicants hereby petition for an appropriate extension of time. The fees for any such extension may be charged to our Deposit Account No. 01-2340.

Respectfully submitted,
ARMSTRONG, WESTERMAN, HATTORI,
MCLELAND & NAUGHTON, LLP

Donald W. Hanson
Attorney for Applicants
Reg. No. 27,133

Atty. Docket No. 011441
1725 K Street, N.W., Suite 1000
Washington, DC 20006
Tel: (202) 659-2930
Fax: (202) 887-0357
DWH:lrj

Enclosures: Submission of Substitute Drawings w/corrected margins



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/987,017	11/13/2001	Toshiyuki Sakurai	011441

CONFIRMATION NO. 6353

FORMALITIES LETTER



OC000000007117537

23850
ARMSTRONG, WESTERMAN, HATTORI,
MCLELAND & NAUGHTON, LLP
1725 K STREET, NW, SUITE 1000
WASHINGTON, DC 20006

Date Mailed: 11/26/2001



NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE